

[WebMail](#)[Rivenditori](#)[Rinnovi](#)[Assistenza](#)**Andrea Ferracani**[Esci](#)

PANNELLO DI CONTROLLO

# scientificareers.com

[Indietro](#)[Torna alla pagina di gestione principale](#)

PHP Version 5.3.3-7+squeeze3

<b>System</b>	Linux opus37 2.6.32-5-amd64 #1 SMP Tue Jun 14 09:42:28 UTC 2011 x86_64
<b>Build Date</b>	Jun 28 2011 13:13:38
<b>Server API</b>	CGI/FastCGI
<b>Virtual Directory Support</b>	disabled
<b>Configuration File (php.ini) Path</b>	/etc/php5/cgi
<b>Loaded</b>	/etc/php5/cgi/php.ini

## Andrea Ferracani

gestione account e fatture»

Listino: Public

**I TUOI PRODOTTI****ATTIVI****Domini e prodotti**

! scientificareers.com

**Assistenza**[Richiedi assistenza](#)

Trova le risposte alle tue domande o invia una richiesta di aiuto

[Report richieste assistenza](#)

Consulta l'archivio delle richieste di assistenza

che hai inviato

<b>Configuration File</b>	
<b>Scan this dir for additional .ini files</b>	/etc/php5/cgi/conf.d
<b>Additional .ini files parsed</b>	/etc/php5/cgi/conf.d/curl.ini, /etc/php5/cgi/conf.d/gd.ini, /etc/php5/cgi/conf.d/gmp.ini, /etc/php5/cgi/conf.d/imagick.ini, /etc/php5/cgi/conf.d/imap.ini, /etc/php5/cgi/conf.d/ldap.ini, /etc/php5/cgi/conf.d/mcrypt.ini, /etc/php5/cgi/conf.d/mysql.ini, /etc/php5/cgi/conf.d/mysqli.ini, /etc/php5/cgi/conf.d/pdf.ini, /etc/php5/cgi/conf.d/pdo.ini, /etc/php5/cgi/conf.d/pdo_mysql.ini, /etc/php5/cgi/conf.d/pdo_pgsql.ini, /etc/php5/cgi/conf.d/pdo_sqlite.ini, /etc/php5/cgi/conf.d/pgsql.ini, /etc/php5/cgi/conf.d/sqlite.ini, /etc/php5/cgi/conf.d/sqlite3.ini, /etc/php5/cgi/conf.d/tidy.ini, /etc/php5/cgi/conf.d/xmlrpc.ini, /etc/php5/cgi/conf.d/xsl.ini
<b>PHP API</b>	20090626
<b>PHP Extension</b>	20090626
<b>Zend Extension</b>	220090626
<b>Zend Extension Build</b>	API220090626,NTS
<b>PHP Extension Build</b>	API20090626,NTS
<b>Debug Build</b>	no
<b>Thread Safety</b>	disabled
<b>Zend Memory Manager</b>	enabled

<b>Zend Multibyte Support</b>	disabled
<b>IPv6 Support</b>	enabled
<b>Registered PHP Streams</b>	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip
<b>Registered Stream Socket Transports</b>	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
<b>Registered Stream Filters</b>	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, mdecrypt.*, mdecrypt.*

This server is protected with the Suhosin Patch 0.9.9.1

Copyright (c) 2006-2007 [Hardened-PHP Project](#) Copyright (c) 2007-2009 [SektionEins GmbH](#)

This program makes use of the Zend Scripting Language Engine:

Zend Engine v2.3.0, Copyright (c) 1998-2010 Zend Technologies

with the ionCube PHP Loader v4.0.12, Copyright (c) 2002-2011, by ionCube Ltd.

## Configuration

### bcmath

<b>BCMath support</b>	enabled
-----------------------	---------

Directive	Local Value	Master Value
<b>bcmath.scale</b>	0	0

## bz2

<b>BZip2 Support</b>	Enabled
<b>Stream Wrapper support</b>	compress.bz2://
<b>Stream Filter support</b>	bzip2.decompress, bzip2.compress
<b>BZip2 Version</b>	1.0.5, 10-Dec-2007

## calendar

<b>Calendar support</b>	enabled
-------------------------	---------

## cgi-fcgi

Directive	Local Value	Master Value
<b>cgi.check_shebang_line</b>	1	1
<b>cgi.discard_path</b>	0	0
<b>cgi.fix_pathinfo</b>	1	1
<b>cgi.force_redirect</b>	1	1
<b>cgi.nph</b>	0	0
<b>cgi.redirect_status_env</b>	<i>no value</i>	<i>no value</i>
<b>cgi.rfc2616_headers</b>	0	0
<b>fastcgi.logging</b>	1	1

## Core

<b>PHP Version</b>	5.3.3-7+squeeze3
--------------------	------------------

Directive	Local Value	Master Value
<b>allow_call_time_pass_reference</b>	On	On
<b>allow_url_fopen</b>	Off	Off
<b>allow_url_include</b>	Off	Off
<b>always_populate_raw_post_data</b>	Off	Off
<b>arg_separator.input</b>	&	&
<b>arg_separator.output</b>	&	&
<b>asp_tags</b>	On	On
<b>auto_append_file</b>	<i>no value</i>	<i>no value</i>
<b>auto_globals_jit</b>	Off	Off
<b>auto_prepend_file</b>	/usr/local/lib/include_disable_php.php	/usr/local/lib/include_disable_php.php
<b>browscap</b>	/etc/php5/cgi/php_browscap.ini	/etc/php5/cgi/php_browscap.ini
<b>default_charset</b>	<i>no value</i>	<i>no value</i>
<b>default_mimetype</b>	text/html	text/html
<b>define_syslog_variables</b>	Off	Off
<b>disable_classes</b>	<i>no value</i>	<i>no value</i>
<b>disable_functions</b>	<i>no value</i>	<i>no value</i>
<b>display_errors</b>	On	On

<b>display_startup_errors</b>	Off	Off
<b>doc_root</b>	<i>no value</i>	<i>no value</i>
<b>docref_ext</b>	<i>no value</i>	<i>no value</i>
<b>docref_root</b>	<i>no value</i>	<i>no value</i>
<b>enable_dl</b>	Off	Off
<b>error_append_string</b>	<i>no value</i>	<i>no value</i>
<b>error_log</b>	/tmp/php_error.log	/tmp/php_error.log
<b>error_prepend_string</b>	<i>no value</i>	<i>no value</i>
<b>error_reporting</b>	30711	30711
<b>exit_on_timeout</b>	Off	Off
<b>expose_php</b>	Off	Off
<b>extension_dir</b>	/usr/lib/php5/20090626+libs/	/usr/lib/php5/20090626+libs/
<b>file_uploads</b>	On	On
<b>highlight.bg</b>	#FFFFFF	#FFFFFF
<b>highlight.comment</b>	#FF8000	#FF8000
<b>highlight.default</b>	#0000BB	#0000BB
<b>highlight.html</b>	#000000	#000000
<b>highlight.keyword</b>	#007700	#007700
<b>highlight.string</b>	#DD0000	#DD0000
<b>html_errors</b>	Off	Off
<b>ignore_repeated_errors</b>	Off	Off
<b>ignore_repeated_source</b>	Off	Off

<b>ignore_user_abort</b>	Off	Off
<b>implicit_flush</b>	Off	Off
<b>include_path</b>	./usr/share/php:/usr/share/pear	./usr/share/php:/usr/share/pear
<b>log_errors</b>	On	On
<b>log_errors_max_len</b>	1024	1024
<b>magic_quotes_gpc</b>	On	On
<b>magic_quotes_runtime</b>	Off	Off
<b>magic_quotes_sybase</b>	Off	Off
<b>mail.add_x_header</b>	On	On
<b>mail.force_extra_parameters</b>	<i>no value</i>	<i>no value</i>
<b>mail.log</b>	<i>no value</i>	<i>no value</i>
<b>max_execution_time</b>	60	60
<b>max_file_uploads</b>	50	50
<b>max_input_nesting_level</b>	64	64
<b>max_input_time</b>	60	60
<b>memory_limit</b>	140M	140M
<b>open_basedir</b>	<i>no value</i>	<i>no value</i>
<b>output_buffering</b>	<i>no value</i>	<i>no value</i>
<b>output_handler</b>	<i>no value</i>	<i>no value</i>
<b>post_max_size</b>	40M	40M
<b>precision</b>	14	14
<b>realpath_cache_size</b>	16K	16K

<b>realpath_cache_ttl</b>	120	120
<b>register_argc_argv</b>	Off	Off
<b>register_globals</b>	Off	Off
<b>register_long_arrays</b>	Off	Off
<b>report_memleaks</b>	On	On
<b>report zend debug</b>	On	On
<b>request_order</b>	GP	GP
<b>safe_mode</b>	Off	Off
<b>safe_mode_exec_dir</b>	<i>no value</i>	<i>no value</i>
<b>safe_mode_gid</b>	Off	Off
<b>safe_mode_include_dir</b>	<i>no value</i>	<i>no value</i>
<b>sendmail_from</b>	<i>no value</i>	<i>no value</i>
<b>sendmail_path</b>	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
<b>serialize_precision</b>	100	100
<b>short_open_tag</b>	On	On
<b>SMTP</b>	localhost	localhost
<b>smtp_port</b>	25	25
<b>sql.safe_mode</b>	Off	Off
<b>track_errors</b>	Off	Off
<b>unserialize_callback_func</b>	<i>no value</i>	<i>no value</i>
<b>upload_max_filesize</b>	10M	10M
<b>upload_tmp_dir</b>	/tmp	/tmp

<b>user_dir</b>	<i>no value</i>	<i>no value</i>
<b>user_ini.cache_ttl</b>	300	300
<b>user_ini.filename</b>	.user.ini	.user.ini
<b>variables_order</b>	EGPCS	EGPCS
<b>xmlrpc_error_number</b>	0	0
<b>xmlrpc_errors</b>	Off	Off
<b>y2k_compliance</b>	On	On
<b>zend.enable_gc</b>	On	On

### ctype

<b>ctype functions</b>	enabled
------------------------	---------

### curl

<b>cURL support</b>	enabled
<b>cURL Information</b>	7.21.0
<b>Age</b>	3
<b>Features</b>	
<b>AsynchDNS</b>	No
<b>Debug</b>	No
<b>GSS-Negotiate</b>	Yes
<b>IDN</b>	Yes

<b>IPv6</b>	Yes
<b>Largefile</b>	Yes
<b>NTLM</b>	Yes
<b>SPNEGO</b>	No
<b>SSL</b>	Yes
<b>SSPI</b>	No
<b>krb4</b>	No
<b>libz</b>	Yes
<b>CharConv</b>	No
<b>Protocols</b>	dict, file, ftp, ftps, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtsp, scp, sftp, smtp, smtps, telnet, tftp
<b>Host</b>	i486-pc-linux-gnu
<b>SSL Version</b>	OpenSSL/0.9.8o
<b>ZLib Version</b>	1.2.3.4
<b>libSSH Version</b>	libssh2/1.2.6

### date

<b>date/time support</b>	enabled
<b>"Olson" Timezone Database Version</b>	0.system
<b>Timezone Database</b>	internal
<b>Default timezone</b>	Europe/Berlin

Directive	Local Value	Master Value
-----------	-------------	--------------

<b>date.default_latitude</b>	31.7667	31.7667
<b>date.default_longitude</b>	35.2333	35.2333
<b>date.sunrise_zenith</b>	90.583333	90.583333
<b>date.sunset_zenith</b>	90.583333	90.583333
<b>date.timezone</b>	<i>no value</i>	<i>no value</i>

### dba

<b>DBA support</b>	enabled
<b>Supported handlers</b>	cdb cdb_make db4 inifile flatfile qdbm

Directive	Local Value	Master Value
<b>dba.default_handler</b>	flatfile	flatfile

### dom

<b>DOM/XML</b>	enabled
<b>DOM/XML API Version</b>	20031129
<b>libxml Version</b>	2.7.8
<b>HTML Support</b>	enabled
<b>XPath Support</b>	enabled
<b>XPointer Support</b>	enabled
<b>Schema Support</b>	enabled
<b>RelaxNG Support</b>	enabled

## ereg

<b>Regex Library</b>	Bundled library enabled
----------------------	-------------------------

## exif

<b>EXIF Support</b>	enabled
<b>EXIF Version</b>	1.4 \$Id: exif.c 293036 2010-01-03 09:23:27Z sebastian \$
<b>Supported EXIF Version</b>	0220
<b>Supported filetypes</b>	JPEG,TIFF

Directive	Local Value	Master Value
<b>exif.decode_jis_intel</b>	JIS	JIS
<b>exif.decode_jis_motorola</b>	JIS	JIS
<b>exif.decode_unicode_intel</b>	UCS-2LE	UCS-2LE
<b>exif.decode_unicode_motorola</b>	UCS-2BE	UCS-2BE
<b>exif.encode_jis</b>	<i>no value</i>	<i>no value</i>
<b>exif.encode_unicode</b>	ISO-8859-15	ISO-8859-15

## fileinfo

<b>fileinfo support</b>	enabled
<b>version</b>	1.0.5-dev

## filter

<b>Input Validation and Filtering</b>	enabled
<b>Revision</b>	\$Revision: 298196 \$

Directive	Local Value	Master Value
<b>filter.default</b>	unsafe_raw	unsafe_raw
<b>filter.default_flags</b>	<i>no value</i>	<i>no value</i>

## ftp

<b>FTP support</b>	enabled
--------------------	---------

## gd

<b>GD Support</b>	enabled
<b>GD Version</b>	2.0
<b>FreeType Support</b>	enabled
<b>FreeType Linkage</b>	with freetype
<b>FreeType Version</b>	2.4.2
<b>T1Lib Support</b>	enabled
<b>GIF Read Support</b>	enabled
<b>GIF Create Support</b>	enabled
<b>JPEG Support</b>	enabled
<b>libJPEG Version</b>	6b
<b>PNG Support</b>	enabled

<b>libPNG Version</b>	1.2.44
<b>WBMP Support</b>	enabled

Directive	Local Value	Master Value
<b>gd.jpeg_ignore_warning</b>	0	0

### gettext

<b>GetText Support</b>	enabled
------------------------	---------

### gmp

<b>gmp support</b>	enabled
<b>GMP version</b>	4.3.2

### hash

<b>hash support</b>	enabled
<b>Hashing Engines</b>	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru snfru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

### iconv

<b>iconv support</b>	enabled
<b>iconv implementation</b>	glibc

<b>iconv library version</b>	2.11.3
------------------------------	--------

Directive	Local Value	Master Value
<b>iconv.input_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.internal_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.output_encoding</b>	ISO-8859-1	ISO-8859-1

## imagick

imagick module	enabled
<b>imagick module version</b>	3.0.0RC1
<b>imagick classes</b>	Imagick, ImagickDraw, ImagickPixel, ImagickPixelIterator
<b>ImageMagick version</b>	ImageMagick 6.6.0-4 2010-11-16 Q16 <a href="http://www.imagemagick.org">http://www.imagemagick.org</a>
<b>ImageMagick copyright</b>	Copyright (C) 1999-2010 ImageMagick Studio LLC
<b>ImageMagick release date</b>	2010-11-16
<b>ImageMagick number of supported formats:</b>	198
<b>ImageMagick supported formats</b>	3FR, A, AI, ART, ARW, AVI, AVS, B, BGR, BGRA, BMP, BMP2, BMP3, BRF, BRG, C, CAL, CALS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DNG, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, FAX, FITS, FRACTAL, FTS,

G, G3, GBR, GIF, GIF87, GRADIENT, GRAY, GRB, GROUP4, HALD, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, ISOBRL, J2C, JNG, JP2, JPC, JPEG, JPG, JPX, K, K25, KDC, LABEL, M, M2V, M4V, MAP, MAT, MATTE, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MTV, MVG, NEF, NULL, O, ORF, OTB, OTF, PAL, PALM, PAM, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFA, PEF, PES, PFA, PFB, PFM, PGM, PGX, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSB, PSD, PTIF, PWP, R, RADIAL-GRADIENT, RAF, RAS, RBG, RGB, RGBA, RGBO, RLA, RLE, SCR, SCT, SFW, SGI, SHTML, SR2, SRF, STEGANO, SUN, TEXT, TGA, THUMBNAIL, TIFF, TIFF64, TILE, TIM, TTC, TTF, TXT, UBRL, UIL, UYVY, VDA, VICAR, VID, VIFF, VST, WBMP, WMV, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, Y, YCbCr, YCbCrA, YUV

Directive	Local Value	Master Value
<b>imagick.locale_fix</b>	0	0
<b>imagick.progress_monitor</b>	0	0

## imap

<b>IMAP c-Client Version</b>	2007e
<b>SSL Support</b>	enabled
<b>Kerberos Support</b>	enabled

## json

<b>json support</b>	enabled
<b>json version</b>	1.2.1

## ldap

<b>LDAP Support</b>	enabled
---------------------	---------

<b>RCS Version</b>	\$Id: ldap.c 299434 2010-05-17 20:09:42Z pajoye \$
<b>Total Links</b>	0/unlimited
<b>API Version</b>	3001
<b>Vendor Name</b>	OpenLDAP
<b>Vendor Version</b>	20423
<b>SASL Support</b>	Enabled

Directive	Local Value	Master Value
<b>ldap.max_links</b>	Unlimited	Unlimited

### libxml

<b>libXML support</b>	active
<b>libXML Compiled Version</b>	2.7.8
<b>libXML Loaded Version</b>	20708
<b>libXML streams</b>	enabled

### mbstring

<b>Multibyte Support</b>	enabled
<b>Multibyte string engine</b>	libmbfl
<b>HTTP input encoding translation</b>	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General

Public License version 2.1.

<b>Multibyte (japanese) regex support</b>	enabled
<b>Multibyte regex (oniguruma) version</b>	5.9.1

Directive	Local Value	Master Value
<b>mbstring.detect_order</b>	<i>no value</i>	<i>no value</i>
<b>mbstring.encoding_translation</b>	Off	Off
<b>mbstring.func_overload</b>	0	0
<b>mbstring.http_input</b>	pass	pass
<b>mbstring.http_output</b>	pass	pass
<b>mbstring.http_output_conv_mimetypes</b>	^(text/application/xhtml+xml)	^(text/application/xhtml+xml)
<b>mbstring.internal_encoding</b>	<i>no value</i>	<i>no value</i>
<b>mbstring.language</b>	neutral	neutral
<b>mbstring.strict_detection</b>	Off	Off
<b>mbstring.substitute_character</b>	<i>no value</i>	<i>no value</i>

## mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
<b>Version</b>	2.5.8
<b>Api No</b>	20021217

<b>Supported ciphers</b>	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
<b>Supported modes</b>	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
<b>mcrypt.algorithms_dir</b>	<i>no value</i>	<i>no value</i>
<b>mcrypt.modes_dir</b>	<i>no value</i>	<i>no value</i>

## mhash

<b>MHASH support</b>	Enabled
<b>MHASH API Version</b>	Emulated Support

## mysql

MySQL Support	enabled
<b>Active Persistent Links</b>	0
<b>Active Links</b>	0
<b>Client API version</b>	5.1.49
<b>MYSQL_MODULE_TYPE</b>	external
<b>MYSQL_SOCKET</b>	/var/run/mysqld/mysqld.sock
<b>MYSQL_INCLUDE</b>	-I/usr/include/mysql
<b>MYSQL_LIBS</b>	-L/usr/lib -lmysqlclient_r

Directive	Local Value	Master Value
<b>mysql.allow_local_infile</b>	On	On
<b>mysql.allow_persistent</b>	On	On
<b>mysql.connect_timeout</b>	30	30
<b>mysql.default_host</b>	<i>no value</i>	<i>no value</i>
<b>mysql.default_password</b>	<i>no value</i>	<i>no value</i>
<b>mysql.default_port</b>	<i>no value</i>	<i>no value</i>
<b>mysql.default_socket</b>	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
<b>mysql.default_user</b>	<i>no value</i>	<i>no value</i>
<b>mysql.max_links</b>	Unlimited	Unlimited
<b>mysql.max_persistent</b>	Unlimited	Unlimited
<b>mysql.trace_mode</b>	Off	Off

## mysqli

Mysqli Support	enabled
<b>Client API library version</b>	5.1.49
<b>Active Persistent Links</b>	0
<b>Inactive Persistent Links</b>	0
<b>Active Links</b>	0
<b>Client API header version</b>	5.1.49
<b>MYSQLI_SOCKET</b>	/var/run/mysqld/mysqld.sock

Directive	Local Value	Master Value
-----------	-------------	--------------

<b>mysqli.allow_local_infile</b>	On	On
<b>mysqli.allow_persistent</b>	On	On
<b>mysqli.default_host</b>	mysql.register.it	mysql.register.it
<b>mysqli.default_port</b>	3306	3306
<b>mysqli.default_pw</b>	<i>no value</i>	<i>no value</i>
<b>mysqli.default_socket</b>	<i>no value</i>	<i>no value</i>
<b>mysqli.default_user</b>	<i>no value</i>	<i>no value</i>
<b>mysqli.max_links</b>	Unlimited	Unlimited
<b>mysqli.max_persistent</b>	Unlimited	Unlimited
<b>mysqli.reconnect</b>	Off	Off

### openssl

<b>OpenSSL support</b>	enabled
<b>OpenSSL Library Version</b>	OpenSSL 0.9.8o 01 Jun 2010
<b>OpenSSL Header Version</b>	OpenSSL 0.9.8o 01 Jun 2010

### pcre

<b>PCRE (Perl Compatible Regular Expressions) Support</b>	enabled
<b>PCRE Library Version</b>	8.02 2010-03-19

Directive	Local Value	Master Value
<b>pcre.backtrack_limit</b>	100000	100000

<b>pcre.recursion_limit</b>	100000	100000
-----------------------------	--------	--------

## pdf

PDF Support	enabled
<b>PDFlib GmbH Binary-Version</b>	8.0.4
<b>PECL Version</b>	2.2.0
<b>Revision</b>	\$Revision: 1.20.2.3 \$

## PDO

PDO support	enabled
<b>PDO drivers</b>	mysql, pgsql, sqlite, sqlite2

## pdo\_mysql

PDO Driver for MySQL	enabled
<b>Client API version</b>	5.1.49

## pdo\_pgsql

PDO Driver for PostgreSQL	enabled
<b>PostgreSQL(libpq) Version</b>	8.4.10
<b>Module version</b>	1.0.2
<b>Revision</b>	\$Id: pdo_pgsql.c 300351 2010-06-10 12:11:19Z iliaa \$

## pdo\_sqlite

PDO Driver for SQLite 3.x	enabled
---------------------------	---------

<b>SQLite Library</b>	3.7.3
-----------------------	-------

## pgsql

<b>PostgreSQL Support</b>	enabled
<b>PostgreSQL(libpq) Version</b>	8.4.10
<b>Multibyte character support</b>	enabled
<b>SSL support</b>	enabled
<b>Active Persistent Links</b>	0
<b>Active Links</b>	0

Directive	Local Value	Master Value
<b>pgsql.allow_persistent</b>	On	On
<b>pgsql.auto_reset_persistent</b>	Off	Off
<b>pgsql.ignore_notice</b>	Off	Off
<b>pgsql.log_notice</b>	Off	Off
<b>pgsql.max_links</b>	Unlimited	Unlimited
<b>pgsql.max_persistent</b>	Unlimited	Unlimited

## Phar

<b>Phar: PHP Archive support</b>	enabled
<b>Phar EXT version</b>	2.0.1
<b>Phar API version</b>	1.1.1
<b>SVN revision</b>	\$Revision: 298908 \$

<b>Phar-based phar archives</b>	enabled
<b>Tar-based phar archives</b>	enabled
<b>ZIP-based phar archives</b>	enabled
<b>gzip compression</b>	enabled
<b>bzip2 compression</b>	enabled
<b>OpenSSL support</b>	enabled

Phar based on pear/PHP\_Archive, original concept by Davey Shafik.  
 Phar fully realized by Gregory Beaver and Marcus Boerger.  
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
<b>phar.cache_list</b>	<i>no value</i>	<i>no value</i>
<b>phar.readonly</b>	On	On
<b>phar.require_hash</b>	On	On

## posix

<b>Revision</b>	\$Revision: 300764 \$
-----------------	-----------------------

## Reflection

Reflection	enabled
<b>Version</b>	\$Revision: 300393 \$

## session

<b>Session Support</b>	enabled
<b>Registered save handlers</b>	files user sqlite
<b>Registered serializer handlers</b>	php php_binary wddx

Directive	Local Value	Master Value
<b>session.auto_start</b>	Off	Off
<b>session.bug_compat_42</b>	Off	Off
<b>session.bug_compat_warn</b>	Off	Off
<b>session.cache_expire</b>	180	180
<b>session.cache_limiter</b>	nocache	nocache
<b>session.cookie_domain</b>	<i>no value</i>	<i>no value</i>
<b>session.cookie_httponly</b>	Off	Off
<b>session.cookie_lifetime</b>	0	0
<b>session.cookie_path</b>	/	/
<b>session.cookie_secure</b>	Off	Off
<b>session.entropy_file</b>	<i>no value</i>	<i>no value</i>
<b>session.entropy_length</b>	0	0
<b>session.gc_divisor</b>	1000	1000
<b>session.gc_maxlifetime</b>	1440	1440
<b>session.gc_probability</b>	0	0
<b>session.hash_bits_per_character</b>	5	5
<b>session.hash_function</b>	0	0

session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/tmp	/tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

### shmop

shmop support	enabled
---------------	---------

### SimpleXML

Simplexml support	enabled
Revision	\$Revision: 299424 \$
Schema support	enabled

### soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1

<b>soap.wsdl_cache_dir</b>	/tmp	/tmp
<b>soap.wsdl_cache_enabled</b>	1	1
<b>soap.wsdl_cache_limit</b>	5	5
<b>soap.wsdl_cache_ttl</b>	86400	86400

## sockets

<b>Sockets Support</b>	enabled
------------------------	---------

## SPL

SPL support	enabled
<b>Interfaces</b>	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
<b>Classes</b>	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

## SQLite

SQLite support	enabled
<b>PECL Module version</b>	2.0-dev \$Id: sqlite.c 298697 2010-04-28 12:10:10Z iliaa \$
<b>SQLite Library</b>	2.8.17
<b>SQLite Encoding</b>	UTF-8

Directive	Local Value	Master Value
<b>sqlite.assoc_case</b>	0	0

### sqlite3

SQLite3 support	enabled
<b>SQLite3 module version</b>	0.7-dev
<b>SQLite Library</b>	3.7.3

Directive	Local Value	Master Value
<b>sqlite3.extension_dir</b>	<i>no value</i>	<i>no value</i>

### standard

<b>Dynamic Library Support</b>	enabled
<b>Path to sendmail</b>	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
<b>assert.active</b>	1	1
<b>assert.bail</b>	0	0
<b>assert.callback</b>	<i>no value</i>	<i>no value</i>
<b>assert.quiet_eval</b>	0	0
<b>assert.warning</b>	1	1
<b>auto_detect_line_endings</b>	0	0

<b>default_socket_timeout</b>	60	60
<b>safe_mode_allowed_env_vars</b>	PHP_	PHP_
<b>safe_mode_protected_env_vars</b>	LD_LIBRARY_PATH	LD_LIBRARY_PATH
<b>url_rewriter.tags</b>	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
<b>user_agent</b>	<i>no value</i>	<i>no value</i>

### sysvmsg

<b>sysvmsg support</b>	enabled
<b>Revision</b>	\$Revision: 293036 \$

### tidy

Tidy support	enabled
<b>libTidy Release</b>	25 March 2009
<b>Extension Version</b>	2.0 (\$Id: tidy.c 296107 2010-03-12 10:28:59Z jani \$)

Directive	Local Value	Master Value
<b>tidy.clean_output</b>	<i>no value</i>	<i>no value</i>
<b>tidy.default_config</b>	<i>no value</i>	<i>no value</i>

### tokenizer

<b>Tokenizer Support</b>	enabled
--------------------------	---------

### wddx

WDDX Support	enabled
<b>WDDX Session Serializer</b>	enabled

## xml

<b>XML Support</b>	active
<b>XML Namespace Support</b>	active
<b>libxml2 Version</b>	2.7.8

## xmlreader

<b>XMLReader</b>	enabled
------------------	---------

## xmlrpc

<b>core library version</b>	xmlrpc-epi v. 0.51
<b>php extension version</b>	0.51
<b>author</b>	Dan Libby
<b>homepage</b>	<a href="http://xmlrpc-epi.sourceforge.net">http://xmlrpc-epi.sourceforge.net</a>
<b>open sourced by</b>	Epinions.com

## xmlwriter

<b>XMLWriter</b>	enabled
------------------	---------

## xsl

<b>XSL</b>	enabled
------------	---------

<b>libxslt Version</b>	1.1.26
<b>libxslt compiled against libxml Version</b>	2.7.7
<b>EXSLT</b>	enabled
<b>libexslt Version</b>	1.1.26

## zip

<b>Zip</b>	enabled
<b>Extension Version</b>	\$Id: php_zip.c 300470 2010-06-15 18:48:33Z pajoye \$
<b>Zip version</b>	1.9.1
<b>Libzip version</b>	0.9.0

## zlib

<b>ZLib Support</b>	enabled
<b>Stream Wrapper support</b>	compress.zlib://
<b>Stream Filter support</b>	zlib.inflate, zlib.deflate
<b>Compiled Version</b>	1.2.1.1
<b>Linked Version</b>	1.2.3.4

Directive	Local Value	Master Value
<b>zlib.output_compression</b>	Off	Off
<b>zlib.output_compression_level</b>	-1	-1
<b>zlib.output_handler</b>	<i>no value</i>	<i>no value</i>

## Additional Modules

Module Name
ionCube Loader
sysvsem
sysvshm

## Environment

Variable	Value
<b>REDIRECT_UNIQUE_ID</b>	T5VNI1FYMSYAAFdnuboAAAAAn
<b>REDIRECT_SCRIPT_URL</b>	/
<b>REDIRECT_SCRIPT_URI</b>	http://www.nanghele.nl/
<b>REDIRECT_URLEXCHANGE</b>	https://www.dataemail.net/exchange/
<b>REDIRECT_COOLPATH</b>	htdocs/public
<b>REDIRECT_NOSIMPLE</b>	0
<b>REDIRECT_SPECIAL</b>	0
<b>REDIRECT_NEXT</b>	1
<b>REDIRECT_SSENV</b>	1
<b>REDIRECT_SSLFIRST</b>	1
<b>REDIRECT_DIRA</b>	htdocs/web
<b>REDIRECT_BK</b>	64cfde265.hostnd
<b>REDIRECT_DOCUMENT_ROOT</b>	htdocs/web
<b>REDIRECT_FAKEDOCUMENT_ROOT</b>	/htdocs/web

<b>REDIRECT_M3PATH</b>	/www/AMENNLHOME/hostnd/6/4/c/64cfde265/www/htdocs/web//
<b>REDIRECT_CGIW</b>	On
<b>REDIRECT_PHPRC</b>	/htdocs/conf/php/
<b>REDIRECT_HANDLER</b>	php-cgiwrap
<b>REDIRECT_STATUS</b>	200
<b>UNIQUE_ID</b>	T5VNI1FYMSYAAFdnuboAAAAAn
<b>SCRIPT_URL</b>	/
<b>SCRIPT_URI</b>	http://www.nanghele.nl/
<b>URLEXCHANGE</b>	https://www.dataemail.net/exchange/
<b>COOLPATH</b>	htdocs/public
<b>NOSIMPLE</b>	0
<b>SPECIAL</b>	0
<b>NEXT</b>	1
<b>SSLENV</b>	1
<b>SSLFIRST</b>	1
<b>DIRA</b>	htdocs/web
<b>BK</b>	64cfde265.hostnd
<b>DOCUMENT_ROOT</b>	/
<b>FAKEDOCUMENT_ROOT</b>	/htdocs/web
<b>FWRAP</b>	1
<b>M3PATH</b>	/www/AMENNLHOME/hostnd/6/4/c/64cfde265/wrap/php-cgiwrap/nobody/htdocs/web//index.php
<b>CGIW</b>	On

<b>PHPRC</b>	/htdocs/conf/php/
<b>HTTP_HOST</b>	www.nanghele.nl
<b>HTTP_USER_AGENT</b>	Mozilla/5.0 (Macintosh; Intel Mac OS X 10.7; rv:11.0) Gecko/20100101 Firefox/11.0
<b>HTTP_ACCEPT</b>	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
<b>HTTP_ACCEPT_LANGUAGE</b>	it-it;q=0.8,en-us;q=0.5,en;q=0.3
<b>HTTP_ACCEPT_ENCODING</b>	gzip, deflate
<b>HTTP_COOKIE</b>	atm6try=1; owa_u=admin
<b>HTTP_CACHE_CONTROL</b>	max-age=0
<b>PATH</b>	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
<b>SERVER_SIGNATURE</b>	<i>no value</i>
<b>SERVER_SOFTWARE</b>	Apache/2.2.14 (Unix)
<b>SERVER_NAME</b>	www.nanghele.nl
<b>SERVER_ADDR</b>	172.29.157.100
<b>SERVER_PORT</b>	80
<b>REMOTE_ADDR</b>	195.110.97.5
<b>SERVER_ADMIN</b>	[no address given]
<b>SCRIPT_FILENAME</b>	/htdocs/web/index.php
<b>REMOTE_PORT</b>	60569
<b>REDIRECT_URL</b>	/index.php
<b>GATEWAY_INTERFACE</b>	CGI/1.1
<b>SERVER_PROTOCOL</b>	HTTP/1.0

<b>REQUEST_METHOD</b>	GET
<b>QUERY_STRING</b>	<i>no value</i>
<b>REQUEST_URI</b>	/
<b>SCRIPT_NAME</b>	/index.php
<b>DOCUMENT_ROOT</b>	/
<b>ORIG_PATH_INFO</b>	<i>no value</i>

### PHP Variables

Variable	Value
<b>PHP_SELF</b>	/index.php
<b>_COOKIE["atm6try"]</b>	1
<b>_COOKIE["owa_u"]</b>	admin
<b>_SERVER["REDIRECT_UNIQUE_ID"]</b>	T5VNI1FYMSYAAFdnuboAAAAh
<b>_SERVER["REDIRECT_SCRIPT_URL"]</b>	/
<b>_SERVER["REDIRECT_SCRIPT_URI"]</b>	http://www.nanghele.nl/
<b>_SERVER["REDIRECT_URLEXCHANGE"]</b>	https://www.dataemail.net/exchange/
<b>_SERVER["REDIRECT_COOLPATH"]</b>	htdocs/public
<b>_SERVER["REDIRECT_NOSIMPLE"]</b>	0
<b>_SERVER["REDIRECT_SPECIAL"]</b>	0
<b>_SERVER["REDIRECT_NEXT"]</b>	1
<b>_SERVER["REDIRECT_SSENV"]</b>	1
<b>_SERVER["REDIRECT_SSLFIRST"]</b>	1
<b>_SERVER["REDIRECT_DIRA"]</b>	htdocs/web

_SERVER["REDIRECT_BK"]	64cfde265.hostnd
_SERVER["REDIRECT_DOCUMENT_ROOT"]	htdocs/web
_SERVER["REDIRECT_FAKEDOCUMENT_ROOT"]	/htdocs/web
_SERVER["REDIRECT_M3PATH"]	/www/AMENNLHOME/hostnd/6/4/c/64cfde265/www/htdocs/web//
_SERVER["REDIRECT_CGIW"]	On
_SERVER["REDIRECT_PHPRC"]	/htdocs/conf/php/
_SERVER["REDIRECT_HANDLER"]	php-cgiwrap
_SERVER["REDIRECT_STATUS"]	200
_SERVER["UNIQUE_ID"]	T5VNI1FYMSYAAFdnuboAAAA
_SERVER["SCRIPT_URL"]	/
_SERVER["SCRIPT_URI"]	http://www.nanghele.nl/
_SERVER["URLEXCHANGE"]	https://www.dataemail.net/exchange/
_SERVER["COOLPATH"]	htdocs/public
_SERVER["NOSIMPLE"]	0
_SERVER["SPECIAL"]	0
_SERVER["NEXT"]	1
_SERVER["SLENV"]	1
_SERVER["SSLFIRST"]	1
_SERVER["DIRA"]	htdocs/web
_SERVER["BK"]	64cfde265.hostnd
_SERVER["DOCUMENT_ROOT"]	/htdocs/web/
_SERVER["FAKEDOCUMENT_ROOT"]	/htdocs/web

_SERVER["FWRAP"]	1
_SERVER["M3PATH"]	/www/AMENNLHOME/hostnd/6/4/c/64cfde265/wrap/php-cgiwrap/nobody/htdocs/web//index.php
_SERVER["CGIW"]	On
_SERVER["PHPRC"]	/htdocs/conf/php/
_SERVER["HTTP_HOST"]	www.nanghele.nl
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Macintosh; Intel Mac OS X 10.7; rv:11.0) Gecko/20100101 Firefox/11.0
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	it-it;q=0.8,en-us;q=0.5,en;q=0.3
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_COOKIE"]	atm6try=1; owa_u=admin
_SERVER["HTTP_CACHE_CONTROL"]	max-age=0
_SERVER["PATH"]	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
_SERVER["SERVER_SIGNATURE"]	<i>no value</i>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.14 (Unix)
_SERVER["SERVER_NAME"]	www.nanghele.nl
_SERVER["SERVER_ADDR"]	172.29.157.100
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	195.110.97.5
_SERVER["SERVER_ADMIN"]	[no address given]
_SERVER["SCRIPT_FILENAME"]	/htdocs/web/index.php
_SERVER["REMOTE_PORT"]	60569

<code>_SERVER["REDIRECT_URL"]</code>	/index.php
<code>_SERVER["GATEWAY_INTERFACE"]</code>	CGI/1.1
<code>_SERVER["SERVER_PROTOCOL"]</code>	HTTP/1.0
<code>_SERVER["REQUEST_METHOD"]</code>	GET
<code>_SERVER["QUERY_STRING"]</code>	<i>no value</i>
<code>_SERVER["REQUEST_URI"]</code>	/
<code>_SERVER["SCRIPT_NAME"]</code>	/index.php
<code>_SERVER["ORIG_PATH_INFO"]</code>	<i>no value</i>
<code>_SERVER["PHP_SELF"]</code>	/index.php
<code>_SERVER["REQUEST_TIME"]</code>	1335184795
<code>_ENV["REDIRECT_UNIQUE_ID"]</code>	T5VNI1FYMSYAAFdnuboAAAAAn
<code>_ENV["REDIRECT_SCRIPT_URL"]</code>	/
<code>_ENV["REDIRECT_SCRIPT_URI"]</code>	<a href="http://www.nanghele.nl/">http://www.nanghele.nl/</a>
<code>_ENV["REDIRECT_URLEXCHANGE"]</code>	<a href="https://www.dataemail.net/exchange/">https://www.dataemail.net/exchange/</a>
<code>_ENV["REDIRECT_COOLPATH"]</code>	htdocs/public
<code>_ENV["REDIRECT_NOSIMPLE"]</code>	0
<code>_ENV["REDIRECT_SPECIAL"]</code>	0
<code>_ENV["REDIRECT_NEXT"]</code>	1
<code>_ENV["REDIRECT_SSENV"]</code>	1
<code>_ENV["REDIRECT_SSLFIRST"]</code>	1
<code>_ENV["REDIRECT_DIRA"]</code>	htdocs/web
<code>_ENV["REDIRECT_BK"]</code>	64cfde265.hostnd

_ENV["REDIRECT_DOCUMENT_ROOT"]	htdocs/web
_ENV["REDIRECT_FAKEDOCUMENT_ROOT"]	/htdocs/web
_ENV["REDIRECT_M3PATH"]	/www/AMENNLHOME/hostnd/6/4/c/64cfde265/www/htdocs/web//
_ENV["REDIRECT_CGIW"]	On
_ENV["REDIRECT_PHPRC"]	/htdocs/conf/php/
_ENV["REDIRECT_HANDLER"]	php-cgiwrap
_ENV["REDIRECT_STATUS"]	200
_ENV["UNIQUE_ID"]	T5VNI1FYMSYAAFdnuboAAAAAn
_ENV["SCRIPT_URL"]	/
_ENV["SCRIPT_URI"]	http://www.nanghele.nl/
_ENV["URLEXCHANGE"]	https://www.dataemail.net/exchange/
_ENV["COOLPATH"]	htdocs/public
_ENV["NOSIMPLE"]	0
_ENV["SPECIAL"]	0
_ENV["NEXT"]	1
_ENV["SSENV"]	1
_ENV["SSLFIRST"]	1
_ENV["DIRA"]	htdocs/web
_ENV["BK"]	64cfde265.hostnd
_ENV["DOCUMENT_ROOT"]	/htdocs/web/
_ENV["FAKEDOCUMENT_ROOT"]	/htdocs/web
_ENV["FWRAP"]	1

_ENV["M3PATH"]	/www/AMENNLHOME/hostnd/6/4/c/64cfde265/wrap/php-cgiwrap/nobody/htdocs/web//index.php
_ENV["CGIW"]	On
_ENV["PHPRC"]	/htdocs/conf/php/
_ENV["HTTP_HOST"]	www.nanghele.nl
_ENV["HTTP_USER_AGENT"]	Mozilla/5.0 (Macintosh; Intel Mac OS X 10.7; rv:11.0) Gecko/20100101 Firefox/11.0
_ENV["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_ENV["HTTP_ACCEPT_LANGUAGE"]	it-it;q=0.8,en-us;q=0.5,en;q=0.3
_ENV["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_ENV["HTTP_COOKIE"]	atm6try=1; owa_u=admin
_ENV["HTTP_CACHE_CONTROL"]	max-age=0
_ENV["PATH"]	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
_ENV["SERVER_SIGNATURE"]	<i>no value</i>
_ENV["SERVER_SOFTWARE"]	Apache/2.2.14 (Unix)
_ENV["SERVER_NAME"]	www.nanghele.nl
_ENV["SERVER_ADDR"]	172.29.157.100
_ENV["SERVER_PORT"]	80
_ENV["REMOTE_ADDR"]	195.110.97.5
_ENV["SERVER_ADMIN"]	[no address given]
_ENV["SCRIPT_FILENAME"]	/htdocs/web/index.php
_ENV["REMOTE_PORT"]	60569
_ENV["REDIRECT_URL"]	/index.php

<code>_ENV["GATEWAY_INTERFACE"]</code>	CGI/1.1
<code>_ENV["SERVER_PROTOCOL"]</code>	HTTP/1.0
<code>_ENV["REQUEST_METHOD"]</code>	GET
<code>_ENV["QUERY_STRING"]</code>	<i>no value</i>
<code>_ENV["REQUEST_URI"]</code>	/
<code>_ENV["SCRIPT_NAME"]</code>	/index.php
<code>_ENV["ORIG_PATH_INFO"]</code>	<i>no value</i>

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).

## Register.it, keep it simple!

La rete cambia le persone, cambia le cose che fanno. Per questo pensiamo a prodotti sempre più affidabili, semplici, originali ed intuitivi.

Per saperne di più

[Informazioni generali](#)

[Riconoscimenti](#)

[Privacy](#)

[Contattaci](#)

[Dove siamo](#)

[Condizioni generali](#)

[Lavora con noi](#)

[Listino prezzi](#)

Google Gadget

Aggiungi la ricerca veloce dei domini alla tua home page  
iGoogle™

Seguici:



.....

---

Copyright © 1999 - 2013 Register.it SpA  
Partita IVA & Codice Fiscale: 02826010163